

A photograph of a modern B&O showroom. The room features a wooden floor, track lighting, and various B&O speakers and furniture. In the foreground, there is a large circular speaker on a tripod stand and a long, low console table. In the background, there are more speakers, a television, and a yellow armchair. The overall atmosphere is clean and minimalist.

# B & O

BANG & OLUFSEN  
B&O Catalogue 2023



**ESPEERO**  
[www.espeero.com](http://www.espeero.com)



صدا و شکل در این بلندگوی نمادین و قابل تنظیم است



**Beoplay A9 4.G**

Bronze / Walnut / Gold Tone / Light Oak  
Black / Black Walnut / White / Oak

Frequency Range	33- 23.000 Hz
Maximum Sound Pressure Level @1m	100 dB SPL
Bass Capability	95 dB SPL
Materials	Wood, Fabric, Aluminium and Polymer
Weight	14.7 kg
Dimensions	70.1 W x 90.8 H x 41.1 D cm
Bluetooth Version	4.2
Wi-Fi	Wi-Fi/WLAN 802.11 a/b/g n/ac (2.4GHz/5Ghz) Wi-Fi for high-performance streaming
Power Supply	Fabric power cable



BANG & OLUFSEN

## BEOSOUND A1 2ND GEN

زمان پخش طولانی تر، کاملاً ضد آب، دستیار صوتی یکپارچه و بلندگو با صدای عالی

Frequency Range	55-20.000 Hz
Materials	Pearl Blasted Aluminium Polymer Waterproof Leather
Battery Size	3.000 mAh
Power Consumption	Typical: 5W Standby: 0.12W
Charging Time	2.75 hours at 5V - 3A charging
Bluetooth Version	5.1



BANG & OLUFSEN



BEOLIT 20

Frequency Range	37 - 20,000 Hz	
Materials	Anodised Aluminium Vegetable Tanned Leather Polymer	
Bluetooth	Bluetooth 4.2	
Charging time	3 hours at 15V - 3A Charging	
Battery Size	3.200 mAh	
Power consumption	Typical: 30W	Standby: 0.5W



BEOSOUND EXPLORE

Frequency Range	56-22.700 Hz	
Materials	Type II Anodised Aluminium Polymer Fabric	
Bluetooth	Bluetooth 5.2	
Charging time	2 hours at 5V - 2A/3A charging	
Battery Size	2.400 mAh	
Power consumption	Typical: 6.2W	Standby: 0.19W



BEOSOUND EDGE

Frequency Range	12 - 23.200 Hz	
Materials	Highly polished aluminium body Black fabric covers Warm taupe covers	
Bluetooth	Bluetooth 4.2	
Power supply	Power cable	
Weight	13 kg	
Dimensions	50.2 W x 50.2 H x 13 D cm	



BEOSOUND 2

Frequency Range	33 - 23.400 Hz.	
Materials	Aluminium	
Bluetooth	Bluetooth 4.2	
Power supply	Power cable	
Weight	4.1 kg	
Dimensions	20 W x 43.1 H x 20 D cm	



## BEOSOUND LEVEL

Frequency Range	39 - 23000 Hz
Materials	Oak Wood    Knitted Fabric    Aluminium Polymer
Power Consumption	Typical 25 watts    Standby: 4,5 watt
Charging Time	3 hours of charging time for 100% 2 hours of charging time for 80%
Bluetooth Version	5.0

BANG & OLUFSEN



BANG & OLUFSEN



هدفون بی سیم ، با خیالی آسوده گوش کنید



BEOPLAY HX

Frequency Range	20-22,000 Hz
Driver Sensitivity	95dB @ 1kHz / 1 mW
Customizable Sound EQ	Presets available and fully customisable through Bang & Olufsen App
Fit	Over-Ear
Materials	Aluminium Leather Fabric Polymer Rubber
Weight	Headphones: 285 g Carrying case: 360 g
Charging Time	Approximately 3 hours
Battery Size	Lithium-Ion Battery
	Capacity 1200 mAh





BEOPLAY PORTAL

Frequency Range	20-22,000 Hz
Fit	Over-ear
Bluetooth	Bluetooth 5.1
Battery Size	Lithium-Ion Battery Capacity 1200 mAh
Charging Time	Approximately 2 hours



BEOPLAY EX

Frequency Range	20 - 20,000 Hz
Fit	True Wireless In ear
Bluetooth	Bluetooth 5.2
Battery Size	Earphones Right (Primary) 70 mAh Left (Secondary) 70 mAh
Charging Case	380 mAh



BEOPLAY H95

Frequency Range	20-22,000 Hz
Fit	Over-ear
Bluetooth	Bluetooth 5.1
Battery Size	Lithium-Ion Battery Capacity 1200 mAh
Sound Codecs	SBC, AAC, aptX™ Adaptive

# BEOPLAY EQ

Frequency Range	20 - 20,000 Hz	
Fit	True Wireless In ear	
Bluetooth	Bluetooth 5.2	
Battery Size	Earphones	Right (Primary) 85 mAh
		Left (Secondary) 85 mAh
	Charging Case	340 mAh



B&O

BANG & OLUFSEN

  
**ESPEERO**

 [espeero.com](https://espeero.com)